atherosclerosis

VOL. 120, Nos. 1,2 February 1996

CONTENTS

Cited in: Biological Abstracts – CABS (Current Awareness in Biological Sciences) – Chemical Abstracts – Current Contents/Life Sciences – Excerpta Medica Abstract Service – Index Internacional de Cardiologia – Index Medicus – Informedicus – PASCAL M

Viewpoint

Skeletal muscle fiber distribution influences serum high-density lipoprotein cholesterol level
H.O. Tikkanen, H. Näveri, M. Härkönen (Finland) 1

Research papers

Hypercoagulability and high lipoprotein(a) levels in patients with type II diabetes mellitus
E. Morishita, Hidesaku Asakura, H. Jokaji, M. Saito, C. Uotani, I. Kumabashiri, M. Yamazaki, K. Aoshima, T. Hashimoto, T. Matsuda (Japan) 7

Dietary non-tocopherol antioxidants present in extra virgin olive oil increase the resistance of low density lipoproteins to oxidation in rabbits
S.A. Wiseman, J.N.N.J. Mathot, N.J. de Fouw, L.B.M. Tijburg (The Netherlands) 15

Relation between risk factors and cardiovascular complications in patients with peripheral vascular disease. Results from the A.D.E.P. study
F. Violi, M. Criqui, A. Longoni, C. Castiglioni, The A.D.E.P. Group (Italy, USA) 25

Apolipoprotein B (apo B) signal peptide length polymorphisms are associated with apo B, low density lipoprotein cholesterol, and glucose levels in Mexican Americans
C.M. Kammerer, J.L. VandeBerg, S.M. Haffner, J.E. Hixson (USA) 37

Relation of serum elastase activity to ultrasonographically assessed carotid artery wall lesions and cardiovascular risk factors. The EVA study
L. Bizbiz, C. Bonithon-Kopp, P. Ducimetierè, C. Berr, A. Alperovitch, L. Robert, the EVA group (France) 47

The Trp^{23}-Stop and Trp^{66}-Gly mutations in the LDL receptor gene: common causes of familial hypercholesterolemia in Denmark
H.K. Jensen, L.G. Jensen, P.S. Hansen, O. Færgeman, N. Gregersen (Denmark) 57

Apolipoprotein E polymorphism in middle-aged Belgian men: phenotype distribution and relation to serum lipids and lipoproteins
L. Braeckman, D. De Bacquer, M. Rosseneu, G. De Backer (Belgium) 67

CETP is a determinant of serum LDL-cholesterol but not HDL-cholesterol in healthy Japanese
M. Kinoshita, T. Teramoto, N. Shimazu, K. Kaneko, M. Ohta, T. Koike, S. Hosogaya, Y. Ozaki, S. Kume, M. Yamanaka (Japan) 75

A novel single base deletion in the LDLR gene (211delG): Effect on serum lipid profiles and the influence of other genetic polymorphisms in the ACE, APOE and APOB genes
A.J. Ward, M. O'Kane, D.P. Nicholls, I.S. Young, N.C. Nevin, C.A. Graham (UK) 83

Effects of lipoprotein(a) and low density lipoprotein on growth of mitogen-stimulated human umbilical vein endothelial cells
A. Takahashi, T. Taniguchi, Y. Fujioka, Y. Ishikawa, M. Yokoyama (Japan) 93

Inhibition of lipoprotein lipase induced cholesterol ester accumulation in human hepatoma HepG2 cells
K. Cianflone, R.K. Avramoglu, C. Sawyez, M.W. Huff (Canada) 101

Distribution of cell replication and apoptosis in atherosclerotic plaques of cholesterol-fed rabbits
M.M. Kockx, G.R.Y. De Meyer, J. Muhring, H. Bult, J. Bultinck, A.G. Herman (Belgium) 115

Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan
C.-H. Tseng, C.-K. Chong, C.-J. Chen, T.-Y. Tai (ROC) 125

Contents continued on p. 266

0021-9150(199602)120:1-2;1-B

atherosclerosis

VOL. 120, Nos. 1,2 February 1996

CONTENTS

Cited in: Biological Abstracts – CABS (Current Awareness in Biological Sciences) – Chemical Abstracts – Current Contents/Life Sciences – Excerpta Medica Abstract Service – Index Internacional de Cardiologia – Index Medicus – Informedicus – PASCAL M

Viewpoint

Skeletal muscle fiber distribution influences serum high-density lipoprotein cholesterol level
H.O. Tikkanen, H. Näveri, M. Härkönen (Finland) 1

Research papers

Hypercoagulability and high lipoprotein(a) levels in patients with type II diabetes mellitus
E. Morishita, Hidesaku Asakura, H. Jokaji, M. Saito, C. Uotani, I. Kumabashiri, M. Yamazaki, K. Aoshima, T. Hashimoto, T. Matsuda (Japan) 7

Dietary non-tocopherol antioxidants present in extra virgin olive oil increase the resistance of low density lipoproteins to oxidation in rabbits
S.A. Wiseman, J.N.N.J. Mathot, N.J. de Fouw, L.B.M. Tijburg (The Netherlands) 15

Relation between risk factors and cardiovascular complications in patients with peripheral vascular disease. Results from the A.D.E.P. study
F. Violi, M. Criqui, A. Longoni, C. Castiglioni, The A.D.E.P. Group (Italy, USA) 25

Apolipoprotein B (apo B) signal peptide length polymorphisms are associated with apo B, low density lipoprotein cholesterol, and glucose levels in Mexican Americans
C.M. Kammerer, J.L. VandeBerg, S.M. Haffner, J.E. Hixson (USA) 37

Relation of serum elastase activity to ultrasonographically assessed carotid artery wall lesions and cardiovascular risk factors. The EVA study
L. Bizbiz, C. Bonithon-Kopp, P. Ducimetierè, C. Berr, A. Alperovitch, L. Robert, the EVA group (France) 47

The Trp^{23}-Stop and Trp^{66}-Gly mutations in the LDL receptor gene: common causes of familial hypercholesterolemia in Denmark
H.K. Jensen, L.G. Jensen, P.S. Hansen, O. Færgeman, N. Gregersen (Denmark) 57

Apolipoprotein E polymorphism in middle-aged Belgian men: phenotype distribution and relation to serum lipids and lipoproteins
L. Braeckman, D. De Bacquer, M. Rosseneu, G. De Backer (Belgium) 67

CETP is a determinant of serum LDL-cholesterol but not HDL-cholesterol in healthy Japanese
M. Kinoshita, T. Teramoto, N. Shimazu, K. Kaneko, M. Ohta, T. Koike, S. Hosogaya, Y. Ozaki, S. Kume, M. Yamanaka (Japan) 75

A novel single base deletion in the LDLR gene (211delG): Effect on serum lipid profiles and the influence of other genetic polymorphisms in the ACE, APOE and APOB genes
A.J. Ward, M. O'Kane, D.P. Nicholls, I.S. Young, N.C. Nevin, C.A. Graham (UK) 83

Effects of lipoprotein(a) and low density lipoprotein on growth of mitogen-stimulated human umbilical vein endothelial cells
A. Takahashi, T. Taniguchi, Y. Fujioka, Y. Ishikawa, M. Yokoyama (Japan) 93

Inhibition of lipoprotein lipase induced cholesterol ester accumulation in human hepatoma HepG2 cells
K. Cianflone, R.K. Avramoglu, C. Sawyez, M.W. Huff (Canada) 101

Distribution of cell replication and apoptosis in atherosclerotic plaques of cholesterol-fed rabbits
M.M. Kockx, G.R.Y. De Meyer, J. Muhring, H. Bult, J. Bultinck, A.G. Herman (Belgium) 115

Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan
C.-H. Tseng, C.-K. Chong, C.-J. Chen, T.-Y. Tai (ROC) 125

Contents continued on p. 266

0021-9150(199602)120:1-2;1-B

Contents continued from back cover

Impaired mobilisation of cholesterol from stored cholesteryl esters in human (THP-1) macrophages
A. Graham, A.D.R. Angell, C.A. Jepson, S.J. Yeaman, D.G. Hassall (UK) 135
Platelet *trans* fatty acids in relation to angiographically assessed coronary artery disease
J.M. Hodgson, M.L. Wahlqvist, J.A. Boxall, N.D. Balazs (Australia) 147
Postprandial cholesteryl ester transfer and high density lipoprotein composition in normotriglyceridemic non-insulin-dependent diabetic patients
V. Durlach, N. Attia, A. Zahouani, M. Leutenegger, A. Girard-Globa (France) 155
The heparin-bound fraction of human lipoprotein-deficient serum inhibits endocytic uptake of oxidized low density lipoprotein by macrophages
Y. Suginohara, A. Miyazaki, H. Hakamata, Yu.-I. Sakamoto, T. Ohta, I. Matsuda, S. Horiuchi (Japan) 167
Long-term probucol treatment results in regression of xanthomas, but in progression of coronary atherosclerosis in a heterozygous patient with familial hypercholesterolemia
K. Kajinami, M. Nishitsuji, Y. Takeda, M. Shimizu, J. Koizumi, H. Mabuchi (Japan) 181
Formaldehyde produced endogenously *via* deamination of methylamine. A potential risk factor for initiation of endothelial injury
P.H. Yu, D.M. Zuo (Canada) 189
Oxidized lipid-mediated alterations in proteoglycan metabolism in cultured pulmonary endothelial cells
S. Ramasamy, D.W. Lipke, G.A. Boissonneault, H. Guo, B. Hennig (USA) 199
Apo B-containing lipoprotein particles in poorly controlled insulin-dependent diabetes
B. Igau, S. Lestavel, V. Clavey, C. Slomianny, P. Drouin, R. Bresson, J.-C. Fruchart, P. Duriez, C. Fiévet (France) 209
Serum levels of the TGF-beta receptor are increased in atherosclerosis
A.B. Blann, J.M. Wang, P.B. Wilson, S. Kumar (UK) 221
An essential role for platelet-derived growth factor in neointima formation in human saphenous vein in vitro
S.J. George, A. Williams, A.C. Newby (UK) 227

Brief report
Lack of effect of oral *N*-acetylcysteine on the acute dialysis-related lowering of total plasma homocysteine in hemodialysis patients
A.G. Bostom, D. Shemin, D. Yoburn, D.H. Fisher, M.R. Nadeau, J. Selhub (USA) 241

Letters of the Editors
Trans fatty acids in hardened vegetable oils
O. Holmqvist (Sweden) 245
Reply
P.L. Zock, A. van Tol, M.B. Katan (The Netherlands) 247
High-resolution mapping of the frequency of lipid deposits in thoracic aortae from cholesterol-fed and heritable hyperlipidaemic rabbits
B.A. Forster, Q. Javed, D.S. Leake, P.D. Weinberg (UK) 249

Book review 255
Obituary 257
Announcement 259
Author index 261
Subject index 264